
SANGAMO



1. Safety instructions

⚠ The installation and assembly of electrical equipment must be only carried out only by a skilled Person! Otherwise fire danger or danger of an electric shock exists!


⚠ Connect the supply voltage/frequency as stated on the product label


⚠ Warranty void if housing opened by unauthorised person


⚠ The electronic circuit is protected against a wide range of external influences. Incorrect operating may occur if external influences exceed certain limits!

2. Initial operation

- The time switch is delivered in sleep-mode, the display is switched off.
 Press M-button for 1 second.
- The current date and time is already programmed and European daylight savings time is activated
- Select the desired language by pressing huttons and confirm it by pressing (Remark: By pressing you move one step backwards from the current position)
- If required, date, time and daylight savings time mode can be adjusted also by pressing **\bullet** buttons and a subsequent confirmation with **\bullet**.







The time switch is programmable without external power supply after pressing the \overline{M} -button. lacksquare To revert one step or one level back while in the Enter-Mode press lacksquare.

After completion of a (sub-) menu confirming end will return the device into the automatic-mode continue the time switch returns to the beginning of the current


(sub-) menu When confirming **end** before completion, the time switch returns to the automatic-mode without saving the entered data.

7. Channel ON OFF / Permanent P

By pushing AB --buttons (buttons) a manual switch of the channels take place. The resulting switching status is marked with the hand-symbol and remains until the next programming step occurs. (temporary over-ride)

Permanent switching status P

By pressing the corresponding channel button AB for more than 3 sec. the channel is permanently switched ON or OFF. The status remains until the next manual switching occurs (> 3 sec.). (permanent over-ride)



9. Example "New Program" (For a regular switching time)

- A. If power supply is disconnected press of for one second. The display appears in Automatic-Mode.
- C. Confirm **Program** with **OK**
- D. Confirm $\mathbf{new} \, \mathbf{program} \, \mathbf{with} \, \overline{\mathbf{OK}}$
- E. Choose the desired channel with -+ and confirm with OK.
- F. For regular switching times choose on or off with buttons and confirm with of
- G. Within this level you activate the days of the week (1...7) on which the switching time should happen. With 🖃 you activate "yes" or deactivate "no" the corresponding date. Confirm each day with
- H. Adjustment of the time: Hours $-\pm$ and \overline{OK} . Minutes $-\pm$ and \overline{OK} .
- I. Verify the entered switching time: If the flashing summary of the programming step is correct, verify on or off with M. After verification you have the choice between edit/delete and end with M.
- If you want to proceed with programming, confirm next switching with ok. To leave the programming menu confirm end.

Program -> New program -> Channel A / B -> ...

The pulse function provides you the opportunity of programming a switching time with a defined duration. As soon as the pulse-duration has expired the time switch switches OFF automatically (the duration of the pulse is up to 59:59 mm:ss)

The programming is carried out like a standard switching time (see point 8 / 9) with following differences

- Choose **Pulse** function (9F)
- Define the duration of the pulse (pulse time minute/pulse time second)
- Program the days of the week
- Program the switching time (time hour / time minute)


not been deleted!

Validation: Confirm the blinking summary of the pulse program

Program -> new program -> channel A / B -> permanent -> ...

- One permanent by date programming step (holiday function) for each channel is possible. During the desired period (The function is valid for the whole days) the channel can be switched off (permanent off) or on (permanent on)
- The programming of this function is as described in (8 / 9).
- The choice **permanent** will not be offered anymore within the menu **new program** when already in use. The switching time can be modified and deleted within ${f Program}\ {f modify}$ (13) and ${f Program}\ {f rogram}$ delete (12) respectively.


Menu	Main menu	Application	Program -> P
Program query	Program	To query the programming steps and remaining memory locations	
Program copy	Program	Copy from one channel to another. Memory of the channel won't be overwritten; the copied switching steps appear additionally. A Permanent by date function is not copied!	Program modify PROG
Program delete	Program	Deletion of switching time(s). The program for all channels, single channels and single programming steps within on channel can be deleted.	M - + K
Date-Time	Adjustment	Adjustment of date and time	
Summertime	Adjustment	Adjustment of the daylight saving time mode (ON/OFF)	
Language	Adjustment	Choice of languages	L
Factory Defaults*	Adjustment	Reset to the state of delivery. Date, time and switching program will be lost!	Within Progra
Counter	Options	Displays the hour counter and pulse counter for each channel and the time switch itself.	With a Data-ke Save dat
PIN-Code	Options	The time switch can be locked with a 4-digit PIN-Code. The code can be adjusted, activated and deactivated. If you have forgotten the Code please call customer service.	ProgramKey fundThe switching
Reset-Function		keys for 2 seconds. The time switch is reset. The values for date be deleted and have to be re-entered. The switching program has	■ Key read



ram modify each single switching time can be modified.

ey following activities are possible:

- Lta: Writes the data from the time switch into the memory of the Data-key
- timeswitch: Writes the data located inside the Key into the memory
- action: The time switch will solely apply programming steps from the Data-key. ing program of the time switch is suppressed.
- adout: To query the switching program of the Data-key



www.sangamo.co.uk P/N 23871 / 23872 Manual Issue B